

CAPSUGEL®

PCcaps™

To Speed up
Pre-Clinical
Trials





PCcaps™
For Pre-Clinical Studies

PCcaps™ to Speed

Features & Benefits

- **Excipients no longer needed**
to homogenize the active ingredient
- **Solvents unnecessary**
which may not be compatible with
the normal physiology of the animal
- Facilitates delivery of the **right dose**
- **Prevents regurgitation**
and upper GIT irritation
- **Masks taste and odour**
which facilitates administration
- This uniquely shaped two-piece hard gelatin
capsule is compatible with contents **from
non-aqueous liquid to granules**
- PCcaps™ are suitable for **coating**

Performing pharmacokinetic or safety studies with rodents is a critical part of the pre-clinical tests which must be performed before first entry to human clinical trials.

It is also said that conducting of safety studies is often rate-limiting to the clinical program. For rodents, forced administration should be employed for oral administration which implies delivering the exact dose in an appropriate vehicle.

In our continuing effort to bring meaningful solutions to pharmaceutical scientists, we are offering a new line of two-piece hard gelatin capsules, PCcaps™ for pre-clinical studies.

up Pre-Clinical Trials



- PCcaps™- kit including:
- a delivery device,
a stand and a funnel
 - 2 boxes of 50 PCcaps™ each

- PCcaps™- box including:
- 1 box of 50 PCcaps™

CAPSUGEL
Supporting you.

Americas

Greenwood, SC
535 North Emerald Road
Greenwood, SC 29646
Tel: 864-223-2270/800-845-6973
Fax: 864-942-3848

Puebla, Mexico
Carr. Mexico-Veracruz No. 1030
C.P. 72270, Puebla, Mexico
Tel: 52-22-82-62-18
Fax: 52-22-82-64-49

Rio de Janeiro
Estrada Mal. Miguel Salazar
Mendes de Moraes
Nr. 969 Jacarepagua
CEP 22770-033
Rio de Janeiro, Brazil
Tel: 55-21-445-5777
Fax: 55-21-445-1950

Europe

Bornem, Belgium
Rijksweg 11
B-2880 Bornem, Belgium
Tel: 32-3-890-05-11
Fax: 32-3-889-26-22

Colmar, France
10, Rue Timken
F-68027 Colmar Cedex, France
Tel: 33-3-89-20-57-09
Fax: 33-3-89-41-48-11

Asia

Bangkok, Thailand
32/46 Sino-Thai Tower, 18th Floor
Asoke Road
Sukhumvit 21
Bangkok 10110 Thailand
Tel: 662-259-2400
Fax: 662-259-2401


Indonesia
Jl. Raya Bogor Km 42
Cibinong, Jawa Barat
Indonesia
Tel: 62-21-875-2226
Fax: 62-21-875-2227

Sagamihara, Japan
3-36 Minamihashimoto, 4-chome
Sagamihara City
Kanagawa Prefecture
Japan 229-1133
Tel: 81-427-70-4601
Fax: 81-427-71-7397

Suzhou, China
Yellow Stone Bridge
Suxie Highway
Suzhou 215006
Jiangsu Province
Peoples Republic of China
Tel: 86-512-761-6666
Fax: 86-512-761-8807



Specifications



Capacity

Volume = 0.02 ml

| Sizes | Drug bulk density | | | |
|----------------------------|-------------------|-----|-----|-----|
| | 0.6 | 0.8 | 1.0 | 1.2 |
| Approximate capacity in mg | 12 | 16 | 20 | 24 |



Colour

White opaque.